



United States
Department of
Agriculture

Agricultural
Marketing
Service

TOB-FDA-24

Tobacco Market Review

Fire-Cured and Dark Air-Cured

1980 Crop
(1980-81 Season)

Contents

	Page
Maps of auction markets and producing areas	3-4
Brief of fire-cured grades	5
Brief of dark air-cured grades.	6
Discussion.	7
Acreage, yield, and production of dark tobacco.	7
Opening and closing dates	8
Sales floors and sets of buyers	8
Warehouse charges	9
Average weight per lot.	9
Receipts under government loan program.	9
Producers' sales by types	10
Gross sales and resales by types.	11
Producers' sales by markets	12
Gross sales by markets	13
Resales by markets.	14
Season averages, and loan rates, by grade	15-19
Weekly averages by grades	20-24
Composition of crop by groups, qualities, and colors.	25-26
Percentage distribution by types and grades	27-31

Sources:

The statistics on sales and markets in this review were compiled from data obtained direct from markets and trade sources.

The data on prices by grades were based on compilation of information recorded from warehouse sales tickets from markets in the fire-cured and dark air-cured areas.


Cooperative Associations:

Commodity Credit Corporation loans made available to growers through cooperative associations as follows:

- Type 21: Dark Tobacco Sales Cooperative, Farmville, Va. 23901
- Type 22: Eastern Dark-fired Tobacco Growers' Association, Springfield, Tn. 37172
- Type 23: Western Dark-fired Tobacco Growers' Association, Murray, Ky. 42071
- Type 35: Eastern Dark-fired Tobacco Growers' Association, Springfield, Tn. 37172
Western Dark-fired Tobacco Growers' Association, Murray, Ky. 42071
- Type 36: Stemming District Tobacco Association, Henderson, Ky. 42420
- Type 37: Sun-cured Tobacco Marketing Cooperative, Inc., Richmond, Va. 23261

FIRE-CURED TOBACCO

AUCTION MARKETS AND PRODUCING AREAS




Heavy lines are boundaries of producing areas.
Small numbers within circles represent number
of sets of buyers. All markets are officially
inspected.

* 1 SET OF BUYERS IN TYPE 23.

U.S. DEPARTMENT OF AGRICULTURE

NEG. AMS 637-76 (4) AGRICULTURAL MARKETING SERVICE

DARK AIR-CURED TOBACCO AUCTION MARKETS AND PRODUCING AREAS



Heavy lines are boundaries of producing areas.
Small numbers within circles represent number
of sets of buyers. All markets are officially
inspected.

- ① 2 SETS OF BUYERS ROTATE AMONG TYPE 35 MARKETS,
HENDERSON AND MADISONVILLE SHARE A SET OF BUYERS.

Brief of fire-cured grades

Type 21: Virginia fire-cured; produced in the piedmont and mountain sections of Virginia.

Type 22: Eastern district fire-cured; produced in a section east of the Tennessee River in southern Kentucky and northern Tennessee.

Type 23: Western district fire-cured; produced in a section between the Tennessee, Ohio, and Mississippi rivers in western Kentucky and northwestern Tennessee.

Key to standard grade marks

<u>Group</u>	<u>Qualities</u>	<u>Colors</u>	<u>Sizes 2/</u>	
A - wrappers	1 - choice	L - light brown	Inches	Size
B - heavy leaf	2 - fine	F - medium brown	12-16	43
C - thin leaf	3 - good	D - dark brown	16-20	44
X - lugs	4 - fair	M - mixed or variegated	20-24	45
N - nondescript	5 - low	VF - greenish medium brown 1/	24-28	46
S - scrap		G - green	Over 28	47

Summary of standard grades

<u>Wrappers</u>		<u>Heavy leaf</u>						<u>Thin leaf</u>					
A1F	A1D	B1F	B1D					C1L	C1F	C1D	1/		
A2F	A2D	B2F	B2D					C2L	C2F	C2D			
A3F 1/	A3D 1/	B3F	B3D	B3M	B3VF 1/	B3G		C3L	C3F	C3D		C3M	C3VF 1/ C3G
		B4F	B4D	B4M	B4VF 1/	B4G		C4L	C4F	C4D		C4M	C4VF 1/ C4G
		B5F	B5D	B5M	B5VF 1/	B5G		C5L	C5F	C5D		C5M	C5VF 1/ C5G
<u>Lugs</u>													
X1L	X1F	X1D						N1L	N1D	N1G			S
X2L	X2F	X2D								N2			
X3L	X3F	X3D	X3M	X3VF 1/	X3G								
X4L	X4F	X4D	X4M	X4VF 1/	X4G								
X5L	X5F	X5D	X5M	X5VF 1/	X5G								

Special factors "U" and "W" may be applied to all grades.
Tobacco not covered by the standard grades is designated "No-G."

Applicable U.S. standard sizes

<u>Type 21</u>	<u>Types 22 and 23</u>
A1 - A2	45, 46, 47
B1	45, 46, 47
B2	44, 45, 46, 47
B3 - B4 - B5	43, 44, 45, 46, 47
C1	45, 46, 47
C2 - C3 - C4 - C5	44, 45, 46, 47
X3 - X4 - X5 - M and G 3/	45,

1/ Types 22 and 23 only.

2/ U.S. standard 4-inch sizes. The application of the sizes is governed by the major portion of the lot or package.

3/ No size is applied to these grades if tobacco is under size 45.

Brief of dark air-cured grades

Type 35: One sucker; produced in northern Tennessee, south-central Kentucky, and southern Indiana.

Type 36: Green river; produced in the Green river Section of Kentucky.

Type 37: Virginia sun-cured; produced in the central section of Virginia, north of the James River.

Key to standard grade marks

<u>Group</u>	<u>Qualities</u>	<u>Colors</u>	<u>Sizes 2/</u>	
A - wrappers	1 - choice	L - light brown	Inches	Size
B - heavy leaf	2 - fine	F - medium brown	12-16	43
C - thin leaf	3 - good	R - reddish brown	16-20	44
X - lugs	4 - fair	D - dark brown	20-24	45
N - nondescript	5 - low	M - mixed	24-28	46
S - scrap		G - green	Over 28	47

Summary of standard grades

<u>Wrappers</u>		<u>Heavy leaf</u>					<u>Thin leaf</u>					
A1F	A1R	B1F	B1R	B1D			C1L	C1F	C1R			
A2F	A2R	B2F	B2R	B2D			C2L	C2F	C2R			
A3F	A3R	B3F	B3R	B3D	B3M	B3G	C3L	C3F	C3R	C3M	C3G	
		B4F	B4R	B4D	B4M	B4G	C4L	C4F	C4R	C4M	C4G	
		B5F	B5R	B5D	B5M	B5G	C5L	C5F	C5R	C5M	C5G	
<u>Tips</u>		<u>Lugs</u>										
T3F	T3R	T3D	T3M	T3G			X1L	X1F	X1R			
T4F	T4R	T4D	T4M	T4G			X2L	X2F	X2R			
T5F	T5R	T5D	T5M	T5G			X3L	X3F	X3R	X3D	X3M	X3G
							X4L	X4F	X4R	X4D	X4M	X4G
							X5L	X5F	X5R	X5D	X5M	X5G

Nondescript

N1L N1R N1G
N2L N2R N2G

Scrap

S

Special factors "U" and "W" may be applied to all grades in all types; "BH" to grades in types 35 and 36, and "BL" to type 35. Tobacco not covered by the standard grades is designated "No-G."

Applicable U.S. Standard sizes

<u>Types 35 and 36</u>	<u>Type 37</u>
A1 - A2 - A3 45, 46, 47	A1 - A2 - A3 44, 45, 46
B1 - B2 - B3 - B4 - B5 44, 45, 46, 47	B1 - B2 - B3 - B4 - B5 44, 45, 46
C1 - C2 - C3 - C4 - C5 44, 45, 46, 47	C1 - C2 - C3 - C4 - C5 44, 45, 46

Review of the 1980 - 81 Marketing Season

Higher averages were recorded for all types of fire-cured and dark air-cured tobacco markets during the 1980 - 81 auction season. Volume decreased from the year before. The percentage of sales placed under loan dropped substantially - while country sales for types 22-23 and 35 showed an increase.

Type 21

A record average of \$126.69 per hundred was set for 3.6 million gross pounds during the 1980 - 81 season. This was up \$9.54 from the previous high set for the 1976 crop. However, a decrease in acreage and lower yields caused the value to drop almost 22 percent from last season. Grade averages increased by mainly \$17 to \$32 per hundred over levels of last year. Averages ranged from \$227 for grade C1L 46 to \$39 for N2. A significant drop was recorded in quality. Loan receipts amounted to 7.1 percent of sales compared with 16.0 percent last season.

Types 22-23

Producer's sales of 32.2 million pounds were 7.0 million below 1979 and 19 million below 1978. Auction sales comprised 44 percent of the 1980 crop and averaged \$121.87 per hundred. While this was \$19.07 above 1979 the price was \$16.22 below the record set in 1976. Country sales set a new record averaging \$158.30 per hundred. The quality of auction sales declined from last year as more green and greenish grades appeared on the floors.

However, demand was good and only one grade - N2 - recorded a drop in the bid price. Indeed, most grades registered gains of \$30 - \$40 per hundred. Loan receipts declined from 40 percent in 1979 to 15 percent this season.

Type 35

A record high general average was established as growers presented a better quality crop while grade averages improved over the previous year. Gross sales totaled 8.6 million pounds averaging \$120.95 per hundred - up \$11.79 from last season. Country sales totaled 3.9 million pounds averaging \$144.62. Loan receipts amounted to 12.9 percent of sales compared with 16.5 percent last season

Type 36

Higher grade prices and better quality resulted in a record high general average exceeding the 1976 crop. Volume was only 600,000 pounds smaller. Gross sales totaled 4.4 million pounds averaging \$126.49 - an increase of \$21.12 per hundred from the previous year. Averages increased for about 90 percent of the grades. The few losses were confined to lugs and nondescript. Loan receipts were 6.5 percent of sales.

Type 37

Volume was the lightest ever for this type - 385,480 pounds. The average of \$127.40 is the highest on record and was a result of better quality and improved grade averages. Virtually no tobacco was placed under loan.

Table 1--Acreage, yield, and production of dark tobacco 1979-1980 1/

Type and State	Area harvested		Yield		Production	
	1979	1980	1979	1980	1979 1,000 Pounds	1980
	<u>Acres</u>		<u>Pounds</u>			
Type 21: Virginia	4,800	3,900	1,135	935	5,448	3,647
Types 22-23: Kentucky	9,600	8,200	1,828	1,612	17,550	13,214
Tennessee	12,490	11,160	1,762	1,738	22,007	19,399
Total	22,090	19,360	1,791	1,685	39,557	32,613
Type 35: Kentucky	5,500	5,500	1,680	1,740	9,240	9,570
Tennessee	1,600	1,600	1,595	1,770	2,552	2,832
Total	7,100	7,100	1,661	1,747	11,792	12,402
Type 36: Kentucky	2,600	2,200	1,675	1,740	4,355	3,828
Type 37: Virginia	540	390	1,055	1,010	570	394

1/ Data taken from "Crop Production", Crop Reporting Board, Economics and Statistics Service, USDA, May 1981.

Table 2--Opening and closing dates, warehouse firms, and sets of buyers

Type 21--Virginia fire-cured

Market and state	1980-81 season						1979-80 season					
	Opening dates	Closing dates	Sales days	Whses. firms	Sets of buyers	Opening dates	Closing dates	Sales Days	Whses. firms	Sets of buyers		
Virginia:												
Blackstone	Dec. 2	Feb. 5	15	1	1	Nov. 27	Feb. 13	20	1	1		
Farmville	Dec. 2	Feb. 5	15	1	1	Nov. 27	Feb. 13	20	1	1		
Lynchburg	Dec. 2	Feb. 5	15	1	1	Nov. 27	Feb. 7	19	1	1		
Total			3	3					3	3		

Types 22 & 23--Kentucky and Tennessee fire-cured

Tennessee:	Clarksville 1/ Springfield 1/	Jan. 20	Apr. 9	34	8	1	Jan. 21	Mar. 13	32	8	1
		Jan. 20	Apr. 9	22	6	1	Jan. 21	Mar. 13	30	7	1
Total Tennessee				14	2				15	2	
Kentucky:	Hopkinsville 1/ Mayfield 1/ Murray 1/	Jan. 20	Apr. 2	22	5	1	Jan. 21	Mar. 20	36	5	1
		Jan. 20	Mar. 10	8	2	4/	Jan. 15	Feb. 28	13	3	4/
		Jan. 19	Mar. 10	8	2	4/	Jan. 14	Feb. 27	14	2	4/
Total Kentucky				9	2				10	2	
Total				23	4				25	4	
Total types 21-23				26	7				28	7	

Type 35--one sucker

Kentucky:	Franklin 1/ Mayfield 1/ Murray 1/ Russellville 1/	Dec. 9	Mar. 3	15	4	2/	Dec. 7	Jan. 24	9	4	2/	
		Dec. 11	Feb. 24	6	2	2/	Dec. 6	Jan. 22	5	3	2/	
		Dec. 12	Feb. 23	6	2	2/	Dec. 7	Jan. 21	5	2	2/	
		Dec. 8	Feb. 12	13	6	2/	Dec. 6	Jan. 24	11	7	2/	
Total Kentucky				14	2/				16	2/		
Tennessee:	Springfield 1/	Dec. 10	Mar. 5	10	5	2/	Dec. 5	Jan. 23	5	5	2/	
Total				19	2				21	2		

Type 36--Green river

Kentucky:	Henderson 1/ Madisonville Owensboro 1/	Dec. 3	Jan. 28	6	1	3/	Nov. 28	Jan. 23	6	1	3/
		Dec. 2	Jan. 27	5	2	3/	Nov. 27	Jan. 22	6	2	3/
		Dec. 3	Jan. 28	13	9	3/	Nov. 29	Jan. 21	13	11	3/
Total				12	1				14	1	

Type 37--Virginia sun-cured

Virginia:	Richmond	Dec. 9	Jan. 30	12	1	1	Dec. 11	Jan. 25	16	1	1
Total types 35-37				32	4				36	4	

1/ This market sells more than one type.

2/ Same 2 sets of buyers used for all markets in Type 35.

3/ Same sets used for all markets in Type 36.

4/ These markets shared a set of buyers.

Table 3--Auction warehouse charges

Type, market, and state	Auction fee	Commission on gross sales	Type, market, and state	Auction fee	Commission on gross sales
	<u>Per 100 pounds</u>	<u>Percent</u>		<u>Per 100 pounds</u>	<u>Percent</u>
Type 21			Type 35		
Blackstone, VA	\$.75	3.5	Franklin, KY	\$.50	4.5
Farmville, VA	.75	3.5	Mayfield, KY	.70	5.25
Lynchburg, VA	.75	3.5	Murray, KY	.70	5.25
Russellville, KY			Russellville, KY	.60	5.0
Type 22			Type 36		
Clarksville, TN	.50	5.0	Springfield, TN	.50	5.0
Springfield, TN	6.50	--	Henderson, KY	1.00	5.0
Hopkinsville, KY	6.50	--	Madisonville, KY	1.00	5.0
Type 23			Owensboro, KY	1.00	5.0
Mayfield, KY	.70	5.25		1.00	4.5
Murray, KY	.70	5.25			
			Type 37		
			Richmond, VA	.75	4.0

Table 4--Average weight per lot

Crop	Type 21	Types 22 & 23	Type 35	Type 36	Type 37
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1975	141	413	288	244	133
1976	154	378	260	268	143
1977	161	394	286	276	141
1978	156	462	342	330	148
1979	153	426	294	280	130
1980	149	397	313	315	139

Table 5--Tobacco received under government loan program

Crop	Type 21		Type 22-23		Types 21-23	
	Receipts	Percentage of net auction sales	Receipts	Percentage of net auction sales	Receipts	Percentage of net auction sales
		<u>pounds</u>	<u>Percent</u>	<u>pounds</u>	<u>Percent</u>	<u>pounds</u>
1975	1,000 45	.9	1,000 100	.45	1,000 145	.4
1976	84	1.6	11	.2	94	.9
1977	1,036	14.2	1,133	4.1	2,169	6.2
1978	1,779	26.1	11,213	27.0	12,992	26.9
1979	887	16.3	11,442	40.3	12,329	36.5
1980	259	7.0	2,087	14.9	2,346	13.3

	Dark air-cured				
	Type 35	Type 36	Type 37	Types 35-37	
1975	32	.4	26	.6	0
1976	18	.3	0	0	0
1977	45	.5	0	0	0
1978	3,233	26.6	1,070	15.0	13 1.6
1979	1,459	17.2	750	15.9	30 5.3
1980	1,106	13.4	287	7.0	2 .4

Table 6--Producers' sales, value and average price.

Type 21 Virginia fire-cured			Types 22 & 23 Kentucky and Tennessee fire-cured				
Crop	Sales	Value	Price per 100 pounds	Crop	Sales	Value	Price per 100 pounds
<u>Auction</u>			<u>Auction</u>				
1975	Pounds 4,754,139	Dollars 4,420,147	Dollars 92.97	1975	Pounds 22,315,094	Dollars 23,304,157	Dollars 104.43
1976	5,250,615	6,173,072	117.57	1976	4,993,534	6,895,417	138.09
1977	7,292,889	7,021,977	96.29	1977	27,441,604	34,478,471	125.64
1978	6,825,946	6,451,753	94.52	1978	41,470,299	43,289,589	104.39
1979	5,432,431	5,861,019	107.89	1979	28,372,980	29,166,624	102.80
1980	3,689,065	4,727,210	128.14	1980	14,017,515	17,083,557	121.87
Types 22 & 23 Kentucky and Tennessee fire-cured			Types 22 & 23 Kentucky and Tennessee fire-cured				
<u>Country</u>			<u>Total</u>				
1975	10,034,758	10,588,589	105.52	1975	32,349,852	33,892,746	104.77
1976	27,805,962	39,797,264	143.12	1976	32,799,496	46,692,681	142.36
1977	18,587,293	26,882,802	144.63	1977	46,028,897	61,361,273	133.31
1978	10,429,545	15,101,981	144.80	1978	51,899,844	58,391,570	112.51
1979	10,873,736	15,837,596	145.65	1979	39,246,716	45,004,220	114.67
1980	18,195,809	28,804,259	158.30	1980	32,213,324	45,887,816	142.45
Type 35 one sucker			Type 35 one sucker				
<u>Auction</u>			<u>Country</u>				
1975	7,682,876	6,921,103	90.08	1975	1,720,016	1,624,055	94.42
1976	5,411,028	6,247,039	115.45	1976	5,043,723	5,864,636	116.28
1977	8,682,532	10,107,359	116.41	1977	5,407,859	6,460,944	119.47
1978	12,165,566	11,306,292	92.94	1978	3,133,377	3,732,913	119.13
1979	8,469,733	9,222,740	108.89	1979	2,915,466	3,778,735	129.61
1980	8,266,940	9,987,129	120.81	1980	3,869,047	5,595,228	144.62
Type 35 one sucker			Type 36 Green river				
<u>Total</u>			<u>Auction</u>				
1975	9,402,892	8,545,158	90.88	1975	4,678,362	4,129,823	88.27
1976	10,454,751	12,111,675	115.85	1976	4,620,796	5,482,148	118.64
1977	14,090,391	16,568,303	117.59	1977	6,021,736	7,109,122	118.06
1978	15,298,943	15,039,205	98.30	1978	7,119,152	7,200,199	101.14
1979	11,385,199	13,001,475	114.20	1979	4,717,313	4,965,866	105.27
1980	12,135,987	15,582,357	128.40	1980	4,116,740	5,182,547	125.89
Type 37 Virginia sun-cured			Types 21-23 total fire-cured				
<u>Auction</u>			<u>Total</u>				
1975	668,063	570,921	85.46	1975	37,103,991	38,312,893	103.26
1976	754,474	789,318	104.62	1976	38,050,111	52,865,753	138.94
1977	825,671	826,500	100.10	1977	53,321,786	68,383,250	128.25
1978	875,308	777,082	88.78	1978	58,725,790	64,843,323	110.42
1979	563,495	511,655	90.80	1979	44,679,147	50,865,239	113.85
1980	387,823	492,801	127.07	1980	35,902,389	50,615,026	140.98
Types 35-37 total dark air-cured							
<u>Total</u>							
1975	14,749,317	13,245,902	89.81				
1976	15,845,583	18,401,688	116.13				
1977	20,937,798	24,503,925	117.03				
1978	23,293,403	23,016,486	98.81				
1979	16,666,007	18,478,996	110.88				
1980	16,640,550	21,257,705	127.75				

Table 7--Gross sales, value, and average price; resales, average price, and percentage of gross sales

Type 21--Virginia fire-cured						
Crop	Gross			Resales		
	Sales Pounds	Value Dollars	Price Per 100 pounds Dollars	Resales Pounds	Price Per 100 pounds Dollars	Percentage of gross sales Percent
1975	4,800,707	4,444,829	92.59	46,568	53.00	1.0
1976	5,358,583	6,277,792	117.15	107,968	96.99	2.0
1977	7,408,227	7,128,747	96.23	115,338	92.57	1.6
1978	6,942,047	6,562,037	94.53	116,101	94.99	1.7
1979	5,549,748	5,943,554	107.10	117,317	70.35	2.1
1980	3,769,701	4,801,889	127.38	80,636	92.61	2.1
Types 22 & 23--Kentucky and Tennessee fire-cured						
1975	22,830,244	23,829,004	104.37	515,150	101.88	2.3
1976	5,111,484	7,055,492	138.03	117,950	135.71	2.3
1977	28,113,610	35,288,573	125.52	672,006	120.55	2.4
1978	42,031,345	43,935,506	104.53	561,046	115.13	1.3
1979	28,784,097	29,648,697	103.00	411,117	117.26	1.4
1980	14,580,071	17,848,091	122.41	562,556	135.90	3.9
Type 35--one sucker						
1975	7,983,086	7,191,382	90.08	300,210	90.03	3.8
1976	5,662,470	6,528,066	115.29	251,442	111.77	4.4
1977	9,072,744	10,580,076	116.61	390,212	121.14	4.3
1978	12,497,862	11,652,860	93.24	332,296	104.29	2.7
1979	8,824,347	9,632,872	109.16	354,614	115.66	4.0
1980	8,566,766	10,360,959	120.94	299,826	124.68	3.5
Type 36--Green river						
1975	4,710,856	4,160,006	88.31	32,494	92.89	.7
1976	4,970,598	5,899,672	118.69	349,802	119.36	7.0
1977	6,269,488	7,390,087	117.87	247,752	113.41	4.0
1978	7,406,322	7,512,210	101.43	287,170	108.65	3.9
1979	4,975,729	5,242,704	105.37	258,416	107.13	5.2
1980	4,447,408	5,625,335	126.49	330,668	133.91	7.4
Type 37--Virginia sun-cured						
1975	674,075	575,214	85.33	6,012	71.41	.9
1976	758,218	790,780	104.29	3,744	39.05	.5
1977	829,533	829,226	99.96	3,862	70.59	.5
1978	883,076	782,059	88.56	7,768	64.07	.9
1979	577,403	521,162	90.26	13,908	68.36	2.4
1980	390,310	494,516	126.70	2,487	68.96	.6
Types 21-23--total fire-cured						
1975	27,630,951	28,273,833	102.33	561,718	97.83	2.0
1976	10,470,067	13,333,284	127.35	225,918	117.21	2.2
1977	35,521,837	42,417,320	119.41	787,344	116.45	2.2
1978	48,973,392	50,497,543	103.11	677,147	111.67	1.4
1979	34,333,845	35,592,251	103.67	528,434	106.85	1.5
1980	18,349,772	22,649,980	123.43	643,192	130.48	3.5
Types 35-37--total dark air-cured						
1975	13,368,017	11,926,602	89.22	338,716	89.97	2.5
1976	11,391,286	13,218,518	116.04	604,988	115.71	5.3
1977	16,171,765	18,799,389	116.25	641,826	117.85	4.0
1978	20,787,260	19,947,129	95.96	627,234	105.79	3.0
1979	14,377,479	15,396,738	107.09	626,938	111.09	4.4
1980	13,404,484	16,480,810	122.95	632,981	129.28	4.7

Table 8--Producers' sales, value, and average price by markets

Market and State	1980 crop			1979 crop		
	Sales Pounds	Value Dollars	Price per 100 pounds Dollars	Sales Pounds	Value Dollars	Price per 100 pounds Dollars
Type 21--Virginia fire-cured						
Virginia:						
Blackstone	1,006,774	1,216,307	120.81	1,588,004	1,594,728	100.42
Farmville	1,169,097	1,456,450	124.58	1,847,595	2,040,070	110.42
Lynchburg	1,415,805	1,903,580	134.45	1,996,832	2,226,221	111.49
Other Mkt.	97,389	150,873	154.92	--	--	--
Total	3,689,065	4,727,210	128.14	5,432,431	5,861,019	107.89
Types 22 & 23--Kentucky and Tennessee fire-cured						
Tennessee:						
Clarksville	4,179,780	5,515,782	131.96	7,457,390	7,718,059	103.50
Springfield	3,683,637	4,547,818	123.46	8,268,380	8,636,870	104.46
Total Tennessee	7,863,417	10,063,600	127.98	15,725,770	16,354,929	104.00
Kentucky:						
Hopkinsville	3,099,262	3,560,876	114.89	7,089,408	7,152,701	100.89
Mayfield	1,679,658	1,902,035	113.24	2,631,030	2,719,798	103.37
Murray	1,375,178	1,557,046	113.23	2,926,772	2,939,196	100.42
Total Kentucky	6,154,098	7,019,957	114.07	12,647,210	12,811,695	101.30
Total	14,017,515	17,083,557	121.87	28,72,980	29,166,624	102.80
Type 35--one sucker						
Kentucky:						
Franklin	2,298,246	2,784,655	121.16	2,111,662	2,346,947	111.14
Mayfield	1,161,317	1,181,766	101.76	1,228,858	1,152,767	93.81
Murray	298,657	326,580	109.35	415,899	379,744	91.31
Russellville	3,319,946	4,192,093	126.27	3,358,400	3,836,899	114.25
Total Kentucky	7,078,166	8,485,094	119.88	7,114,819	7,716,357	108.45
Tennessee:						
Springfield	1,188,774	1,502,035	126.35	1,354,914	1,506,383	111.18
Total	8,266,940	9,987,129	120.81	8,469,733	9,222,740	108.89
Type 36--Green river						
Kentucky:						
Henderson	306,038	395,497	129.23	262,338	262,684	100.13
Madisonville	846,522	1,011,287	119.46	997,724	989,460	99.17
Owensboro	2,964,180	3,775,763	127.38	3,457,251	3,713,722	107.42
Total	4,116,740	5,182,547	125.89	4,717,313	4,965,866	105.27
Type 37--Virginia sun-cured						
Virginia:						
Richmond	374,835	478,542	127.67	535,873	488,110	91.09
Fire-cured mkt.	12,988	14,259	109.79	27,622	23,545	85.24
Total	387,823	492,801	127.07	563,495	511,655	90.80

Table 9--Gross sales, value, and average price by markets

Market and State	1980 crop			1979 crop		
	Sales Pounds	Value Dollars	Price per 100 pounds Dollars	Sales Pounds	Value Dollars	Price per 100 pounds Dollars
Type 21--Virginia fire-cured						
Virginia:						
Blackstone	1,032,531	1,237,795	119.88	1,611,804	1,619,433	100.47
Farmville	1,180,582	1,464,733	124.07	1,892,151	2,053,781	108.54
Lynchburg	1,459,199	1,948,488	133.53	2,045,793	2,270,340	110.98
Other Mkts.	97,389	150,873	154.92	--	--	--
Total	3,769,701	4,801,889	127.38	5,549,748	5,943,554	107.10
Types 22 & 23--Kentucky and Tennessee fire-cured						
Tennessee:						
Clarksville	4,216,130	5,559,390	131.86	7,507,083	7,772,161	103.53
Springfield	3,908,409	4,866,621	124.52	8,343,176	8,724,749	104.57
Total Tennessee	8,124,539	10,426,011	128.33	15,850,259	16,496,910	104.08
Kentucky:						
Hopkinsville	3,151,516	3,629,034	115.15	7,189,620	7,265,413	101.05
Mayfield	1,912,780	2,212,954	115.69	2,802,174	2,928,047	104.49
Murray	1,391,236	1,580,092	113.57	2,942,044	2,958,327	100.55
Total Kentucky	6,455,532	7,422,080	114.97	12,933,838	13,151,787	101.69
Total	14,580,071	17,848,091	122.41	28,784,097	29,648,697	103.00
Type 35--one sucker						
Kentucky:						
Franklin	2,350,892	2,851,363	121.29	2,144,044	2,383,488	111.17
Mayfield	1,228,681	1,266,730	103.10	1,273,358	1,188,989	93.37
Murray	299,565	327,418	109.30	418,037	381,721	91.31
Russellville	3,457,984	4,364,151	126.21	3,573,390	4,107,285	114.94
Total Kentucky	7,337,122	8,809,662	120.07	7,408,829	8,061,483	108.81
Tennessee:						
Springfield	1,229,644	1,551,297	126.16	1,415,518	1,571,389	111.01
Total	8,566,766	10,360,959	120.94	8,824,347	9,632,872	109.16
Type 36--Green river						
Kentucky:						
Henderson	315,916	405,843	128.47	271,524	273,436	100.70
Madisonville	846,522	1,011,287	119.46	998,276	989,860	99.16
Owensboro	3,284,970	4,208,205	128.10	3,705,929	3,979,408	107.38
Total	4,447,408	5,625,335	126.49	4,975,729	5,242,704	105.37
Type 37--Virginia sun-cured						
Virginia:						
Richmond	377,155	480,172	127.31	548,851	497,478	90.64
Fire-cured mkts.	13,155	14,344	109.04	28,552	23,684	82.95
Total	390,310	494,516	126.70	577,403	521,162	90.26

Table 10--Resales, average price, and percentage of gross sales by markets

Market and State	1980 crop			1979 crop		
	Resales	Price per 100 pounds	Percent of gross	Resales	Price per 100 pounds	Percent of gross
	Pounds	Dollars		Pounds	Dollars	
Type 21--Virginia fire-cured						
Virginia:						
Blackstone	25,757	83.43	2.5	23,800	103.80	1.5
Farmville	11,485	72.12	1.0	44,556	30.77	2.4
Lynchburg	43,394	103.49	3.0	48,961	90.11	2.4
Total	80,636	92.61	2.1	117,317	70.35	2.1
Types 22 & 23--Kentucky and Tennessee fire-cured						
Tennessee:						
Clarksville	36,350	119.97	.9	49,693	108.87	.7
Springfield	224,772	141.83	5.8	74,796	117.49	.9
Total Tennessee	261,122	138.79	3.2	124,489	114.05	.8
Kentucky:						
Hopkinsville	52,254	130.44	1.7	100,212	112.47	1.4
Mayfield	233,122	133.37	12.2	171,144	121.68	6.1
Murray	16,058	143.52	1.2	15,272	125.27	.5
Total Kentucky	301,434	133.40	4.7	286,628	118.65	2.2
Total	562,556	135.90	3.9	411,117	117.26	1.4
Type 35--one sucker						
Kentucky:						
Franklin	52,646	126.71	2.2	32,382	112.84	1.5
Mayfield	67,364	126.13	5.5	44,500	81.40	3.5
Murray	908	92.29	.3	2,138	92.47	.5
Russellville	138,038	124.65	4.0	214,990	125.77	6.0
Total Kentucky	258,956	125.34	3.5	294,010	117.39	4.0
Tennessee:						
Springfield	40,870	120.53	3.3	60,604	107.26	4.3
Total	299,826	124.68	3.5	354,614	115.66	4.0
Type 36--Green river						
Kentucky:						
Henderson	9,878	104.74	3.1	9,186	117.05	3.4
Madisonville	0	0	0	552	72.46	.1
Owensboro	320,790	134.81	9.8	248,678	106.84	6.7
Total	330,668	133.91	7.4	258,416	107.13	5.2
Type 37--Virginia sun-cured						
Virginia:						
Richmond	2,320	70.26	.6	12,978	72.18	2.4
Fire-cured mkt.	167	50.90	1.3	930	14.95	3.3
Total	2,487	68.96	.6	13,908	68.36	2.4

Table 11--Season auction prices and loan rates per 100 pounds 1/

Type 21 - Virginia fire-cured															
Group and grade	1980 crop			Group and grade	1980 crop			Group and grade	1980 crop			Group and grade	1980 crop		
	Season average	Loan rate	Dollars		Season average	Loan rate	Dollars		Season average	Loan rate	Dollars		Season average	Loan rate	Dollars
<u>Wrappers</u>															
A1F 47	--	155	B5D 47	--	90	C5L 46	135	95	C3G 45	144	90				
46	--	155	46	--	93	45	142	96	44	131	84				
45	--	155	45	--	94	44	126	87	C4G 47	--	80				
A2F 47	--	152	44	--	90	C1F 47	229	160	46	123	81				
46	--	153	43	--	77	46	226	160	45	125	83				
45	--	153	B3M 47	--	100	45	222	160	44	113	78				
A1D 47	--	155	46	164	106	C2F 47	193	150	C5G 47	--	72				
46	--	155	45	158	109	46	199	151	46	112	76				
45	--	155	44	--	107	45	193	151	45	103	77				
A2D 47	--	152	43	--	84	44	--	124	44	92	73				
46	--	153	B4M 47	--	90	C3F 47	167	129							
45	--	153	46	150	97	46	175	131	<u>Lugs:</u>						
Heavy leaf				45	144	98	45	172	X1L	--	108				
B1F 47	--	148	44	134	97	44	160	114	X2L	157	107				
46	215	153	43	121	82	C4F 47	--	108	X3L	141	105				
45	--	153	B5M 47	--	85	46	158	114	X4L	133	90				
B2F 47	--	137	46	--	87	45	158	117	X5L	116	84				
46	191	140	45	--	88	44	150	110	X1F	--	108				
45	182	141	44	125	85	C5F 47	--	94	X2F	167	107				
44	183	135	43	88	74	46	145	95	X3F	144	105				
B3F 47	--	124	B3G 47	--	99	45	141	97	X4F	129	92				
46	170	128	46	--	101	44	129	91	X5F	112	84				
45	170	128	45	145	102	C2D 47	--	95	X1D	--	107				
44	161	128	44	--	99	46	--	96	X2D	--	105				
43	--	95	43	--	78	45	--	96	X3D	--	100				
B4F 47	--	106	B4G 47	--	92	44	--	93	X4D	--	87				
46	157	113	46	144	94	C3D 47	--	89	X5D	112	78				
45	157	117	45	136	96	46	--	90	X3M	137	92				
44	144	111	44	126	93	45	--	90	X3M 45	120	84				
43	115	85	43	94	77	44	--	85	X4M	113	78				
B5F 47	--	88	B5G 47	--	77	C4D 47	--	80	X4M 45	109	75				
46	--	90	46	--	86	46	--	83	X5M	91	65				
45	139	93	45	123	82	45	120	85	X5M 45	86	64				
44	140	90	44	101	77	44	--	81	X3G	135	94				
43	--	77	43	88	67	C5D 47	--	70	X3G 45	--	92				
B1D 47	--	147	<u>Thin leaf</u>				46	--	71	X4G	113	86			
46	--	153	C1L 47	--	160	45	111	72	X4G 45	112	78				
45	--	153	46	227	160	44	103	71	X5G	92	70				
B2D 47	--	137	45	--	157	C3M 47	--	102	X5G 45	85	65				
46	184	140	C2L 47	--	150	46	152	103							
45	--	140	46	207	151	45	156	104	<u>Nondescript:</u>						
44	--	135	45	202	151	44	149	100	N1L	73	50				
B3D 47	--	124	44	--	135	C4M 47	--	94	N1D	77	48				
46	--	126	C3L 47	--	129	46	142	95	N1GL	48	19				
45	174	126	46	173	131	45	141	100	N1GD	68	50				
44	169	122	45	173	131	44	130	97	N2	39	0				
43	--	85	44	159	114	C5M 47	--	77							
B4D 47	--	100	C4L 47	--	108	46	120	78							
46	--	102	46	162	112	45	116	80							
45	156	102	45	158	112	44	109	78							
44	147	99	44	142	100	C3G 47	--	87							
43	--	86	C5L 47	--	94	46	--	88							

See footnotes on page 19.

Table 11--Season average prices and loan rates per 100 pounds 1/--continued

Types 22 and 23 - Kentucky and Tennessee fire-cured												
Group and grade	1980 crop		Group and grade	1980 crop		Group and grade	1980 crop		Group and grade	1980 crop		Group and grade
	Season average rate	Loan average rate		Season average rate	Loan average rate		Season average rate	Loan average rate		Season average rate	Loan average rate	
	<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>		
<u>Wrappers:</u>												
AlF 47	--	144	B3M 46	--	111	C1F 46	--	131	C3VF 46	163	114	
46	--	144		45	--	45	--	131		156	114	
45	--	144		44	--	44	--	127		132	111	
A2F 47	--	139	B4M 47	--	106	C2F 47	--	127		43	--	105
46	176	139		46	154	46	174	127	C4VF 47	155	109	
45	--	139		45	--	45	166	127		46	155	109
A3F 47	--	131	B5M 47	--	102	C3F 47	166	122		44	142	109
46	--	131		46	--	46	166	122		43	--	101
A1D 47	--	144		45	--	45	163	122	C5VF 47	--	104	
46	--	144		44	--	44	156	119		46	146	104
45	--	144	B3VF 47	--	111		43	--		45	132	104
A2D 47	--	139		46	168	C4F 47	164	117		44	120	102
46	--	139		45	162		46	162		43	--	93
45	--	139		44	--		45	158		C3G 47	--	103
A3D 47	--	131	B4VF 47	--	109		44	134		46	151	103
46	171	131		46	158		43	--		45	155	103
45	--	131		45	140		45	154		44	--	100
				44	--		46	152		43	--	95
			B5VF 47	--	103		45	146		C4G 47	140	95
BlF 47	--	129		46	161		44	125		46	138	95
46	--	129		45	152		43	--		45	129	95
45	--	129		44	--		43	--		44	111	91
44	--	124	B3G 47	--	100	C1D 47	--	130		43	99	86
B2F 47	--	125		46	165		46	--		C5G 47	120	90
46	172	125		45	159		45	--			115	90
45	--	125		44	--		44	--			107	90
44	--	121	B4G 47	--	107	C2D 47	--	121			44	87
B3F 47	--	120		46	138		46	170			43	91
46	170	120		45	--		45	--			91	84
45	171	120		44	--		44	--				
44	--	117	B5G 47	--	96	C3D 47	164	115	Lugs:			
B4F 47	136	115		46	--		46	167	X1L	--	109	
46	163	115		45	--		45	164	X2L	--	106	
45	163	115		45	--		44	156	X3L	--	101	
44	--	112		44	--		43	--	X4L	--	96	
B5F 47	--	108	Thin Leaf:			C4D 47	159	108	X5L	110	93	
46	156	108	C1L 47	--	131		46	157	X1F	--	110	
45	149	108		46	--		45	146	X2F	162	107	
44	--	105		45	--		44	130	X3F	152	102	
B1D 47	--	128	C2L 47	--	127	C5D 47	--	101	X4F	140	98	
46	--	128		46	--		46	151	X5F	119	95	
45	--	128		46	--		45	131	X1D	--	106	
44	--	123		45	--		44	113	X2D	--	101	
B2D 47	--	124	C3L 47	--	124		43	--	X3D	--	96	
46	--	124		46	--		43	--	X4D	128	90	
45	--	124		46	167		46	--	X5D	108	85	
44	--	120		45	--		46	161	X3M	106	87	
B3D 47	--	119	C4L 47	--	118		45	161	X4M	100	81	
46	--	119		43	--		44	--	X5M	91	78	
45	--	119		43	--		43	--	X3VF	142	94	
44	--	115		46	152		46	144	X4VF	120	90	
B4D 47	--	114		45	141		45	135	X5VF	104	85	
46	--	114		44	--		44	129	X3G	--	84	
45	--	114		43	--		43	105	X4G	87	73	
44	--	111	C5L 47	--	108		43	--	X5G	74	64	
B5D 47	--	105		46	136		46	132	Nondescript:			
46	--	105		45	140		45	119	NIL	75	67	
45	--	105		44	--		44	113	N1D	79	57	
44	--	101		43	--		43	--	N1G	58	49	
B3M 47	--	111	C1F 47	--	131	C3VF 47	--	99	N2	36	27	

See footnotes on page 19.

Table 11--Season average prices and loan rates per 100 pounds 1/—continued

Type 35 - one-sucker											
Group and grade	1980 crop										
	Season average rate	Loan rate									
	<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>	
<u>Wrappers:</u>											
A1F 47	-	-	B1D 46	-	129	C5L 47	-	105	C4G 46	145	100
46	-	140	45	-	129	46	-	105	45	143	100
45	-	140	44	-	127	45	-	105	44	132	99
A2F 47	-	136	B2D 47	-	-	44	-	103	C5G 47	-	90
46	-	136	46	-	124	C1F 47	-	-	46	131	90
45	-	136	45	-	124	46	153	133	45	124	90
A3F 47	-	-	44	-	123	45	-	133	44	114	89
46	-	130	B3D 47	-	-	44	-	132			
45	-	130	46	-	118	C2F 47	-	129			
A1R 47	-	-	45	-	118	46	152	129	T3F	-	89
46	-	140	44	-	117	45	150	129	T4F	149	86
45	-	140	B4D 47	-	-	44	-	128	T5F	-	78
A2R 47	-	-	46	-	109	C3F 47	-	124	T3R	-	90
46	-	136	45	-	109	46	152	124	T4R	102	86
45	-	136	44	-	108	45	151	124	T5R	-	79
A3R 47	-	-	B5D 47	-	-	44	150	122	T3D	-	89
46	-	130	46	-	101	C4F 47	154	115	T4D	-	86
45	-	130	45	-	101	46	151	115	T5D	-	78
			44	-	100	45	150	115	T3M	-	87
<u>Heavy leaf:</u>											
B1F 47	-	131	B3M 47	-	108	44	147	114	T4M	89	83
46	-	131	46	151	108	C5F 47	-	105	T5M	-	75
45	-	131	45	150	108	46	149	105	T3G	-	87
44	-	128	B4M 47	-	-	45	143	105	T4G	102	84
B2F 47	-	-	46	151	100	C1R 47	-	-	T5G	82	75
46	153	126	45	149	100	46	-	132			
45	-	126	44	-	99	45	-	132	X1L	-	119
44	-	125	B5M 47	-	94	44	-	131	X2L	150	115
B3F 47	-	121	46	-	94	C2R 47	-	128	X3L	149	113
46	153	121	45	-	94	46	-	128	X4L	127	107
45	153	121	44	-	93	45	-	128	X5L	118	100
44	-	119	B3G 47	-	106	44	-	127	X1F	152	119
B4F 47	-	111	46	-	106	C3R 47	-	123	X2F	152	116
46	152	111	45	-	106	46	152	123	X3F	149	113
45	151	111	44	-	105	45	151	123	X4F	136	107
44	-	110	B4G 47	-	100	44	152	121	X5F	119	101
B5F 47	-	103	46	150	100	C4R 47	-	112	X1R	-	117
46	141	103	45	146	100	46	150	112	X2R	152	114
45	-	103	44	127	99	45	147	112	X3R	148	111
44	-	102	B5G 47	-	93	44	141	111	X4R	134	105
B1R 47	-	-	46	135	93	C5R 47	-	103	X5R	113	98
46	-	130	45	120	93	46	141	103	X3D	-	94
45	-	130	44	-	92	45	136	103	X4D	-	87
44	-	128				44	122	102	X5D	-	80
B2R 47	-	125	<u>Thin leaf:</u>			C3M 47	-	108	X3M	143	91
46	152	125	C1L 47	-	-	46	144	108	X4M	119	85
45	-	125	46	-	133	45	147	108	X5M	90	74
44	-	124	45	-	-	44	-	107	X3G	151	82
B3R 47	-	119	44	-	-	C4M 47	-	101	X4G	108	69
46	153	119	C2L 47	-	129	46	144	101	X5G	69	56
45	153	119	46	155	129	45	145	101			
44	-	118	45	-	129	44	131	100	<u>Nondescript:</u>		
B4R 47	-	110	44	-	128	C5M 47	-	94	N1L	67	54
46	151	110	C3L 47	-	125	46	129	94	N2L	53	41
45	153	110	46	153	125	45	129	94	N1R	62	49
44	-	109	45	152	125	44	116	93	N2R	37	37
B5R 47	-	102	44	-	124	C3G 47	-	110	N1G	55	43
46	-	102	C4L 47	-	115	46	146	110	N2G	36	25
45	-	102	46	148	115	45	145	110			
44	-	101	45	139	115	44	-	108			
B1D 47	-	-	44	-	114	C4G 47	-	100			

See footnotes on page 19.

Table 11--Season average prices and loan rates per 100 pounds 1/--continued

Type 36 - Green River

Group and grade	1980 crop										
	Season average	Loan rate									
	<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>	
Wrappers:											
A1F 47	-	-	B1D 46	-	129	C5L 47	-	105	C4G 46	148	100
46	-	140	45	-	129	46	-	105	45	148	100
45	-	140	44	-	127	45	-	105	44	144	99
A2F 47	-	136	B2D 47	-	-	44	-	103	C5G 47	-	90
46	-	136	46	-	124	C1F 47	-	-	46	145	90
45	-	136	45	-	124	46	-	133	45	137	90
A3F 47	-	-	44	-	123	45	-	133	44	137	89
46	-	130	B3D 47	-	-	44	-	132			
45	-	130	46	-	118	C2F 47	-	129			
A1R 47	-	-	45	-	118	46	-	129	T3F	-	89
46	-	140	44	-	117	45	-	129	T4F	148	86
45	-	140	B4D 47	-	-	44	-	128	T5F	-	78
A2R 47	-	-	46	-	109	C3F 47	-	124	T3R	-	90
46	-	136	45	-	109	46	151	124	T4R	143	86
45	-	136	44	-	108	45	150	124	T5R	131	79
A3R 47	-	-	B5D 47	-	-	44	-	122	T3D	-	89
46	-	130	46	-	101	C4F 47	-	115	T4D	-	86
45	-	130	45	-	101	46	150	115	T5D	-	78
			44	-	100	45	149	115	T3M	146	87
Heavy leaf:											
B1F 47	-	131	B3M 47	-	108	44	150	114	T4M	142	83
46	-	131	46	-	108	C5F 47	-	105	T5M	124	75
45	-	131	45	-	108	46	150	105	T3G	-	87
44	-	128	B4M 47	150	-	45	146	105	T4G	140	84
B2F 47	-	-	46	150	100	C1R 47	-	-	T5G	124	75
46	-	126	45	148	100	46	-	132			
45	-	126	44	146	99	45	-	132	Lugs:		
44	-	125	B5M 47	-	94	44	-	131	X1L	-	119
B3F 47	-	121	46	-	94	C2R 47	-	128	X2L	-	115
46	150	121	45	147	94	46	-	128	X3L	-	113
45	151	121	44	-	93	45	-	128	X4L	-	107
44	-	119	B3G 47	-	106	44	-	127	X5L	-	100
B4F 47	-	111	46	150	106	C3R 47	-	123	X1F	-	119
46	150	111	45	-	106	46	150	123	X2F	-	116
45	148	111	44	-	105	45	150	123	X3F	144	113
44	-	110	B4G 47	-	100	44	148	121	X4F	120	107
B5F 47	-	103	46	149	100	C4R 47	-	112	X5F	-	101
46	-	103	45	147	100	46	150	112	X1R	-	117
45	-	103	44	148	99	45	149	112	X2R	-	114
44	-	102	B5G 47	-	93	44	148	111	X3R	-	111
B1R 47	-	-	46	-	93	C5R 47	-	103	X4R	136	105
46	-	130	45	146	93	46	-	103	X5R	106	98
45	-	130	44	-	92	45	146	103	X3D	-	94
44	-	128				44	143	102	X4D	-	87
B2R 47	-	125	<u>Thin leaf</u>			C3M 47	-	108	X5D	-	80
46	-	125	C1L 47	-	-	46	150	108	X3M	141	91
45	-	125	46	-	133	45	149	108	X4M	129	85
44	-	124	45	-	-	44	-	107	X5M	94	74
B3R 47	-	119	44	-	-	C4M 47	-	101	X3G	-	82
46	150	119	C2L 47	-	129	46	149	101	X4G	126	69
45	-	119	46	-	129	45	148	101	X5G	87	56
44	-	118	45	-	129	44	145	100			
B4R 47	-	110	44	-	128	C5M 47	-	94	Nondescript:		
46	150	110	C3L 47	-	125	46	143	94	N1L	73	54
45	149	110	46	-	125	46	142	94	N2L	58	41
44	148	109	45	-	125	44	138	93	N1R	106	49
B5R 47	-	102	44	-	124	C3G 47	-	110	N2R	-	37
46	140	102	C4L 47	-	115	46	150	110	N1G	67	43
45	144	102	46	-	115	45	148	110	N2G	35	25
44	135	101	45	150	115	44	-	108			
B1D 47	-	-	44	-	114	C4G 47	-	100			

See footnotes on page 19.

Table 11—Season auction prices and loan rates per 100 pounds 1/—continued

Type 37 - Virginia sun-cured											
Group and grade	1980 crop		Group and grade	1980 crop		Group and grade	1980 crop		Group and grade	1980 crop	
	Season average rate	Loan rate		Season average rate	Loan rate		Season average rate	Loan rate		Season average rate	Loan rate
	<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>			<u>Dollars</u>	
<u>Wrappers:</u>											
A1F 46	-	139	B1D 46	-	119	C1F 46	-	139	T4F	-	76
45	-	139	45	-	119	45	-	139	T5F	-	70
44	-	134	44	-	114	44	-	129	T3R	-	79
A2F 46	-	134	B2D 46	-	114	C2F 46	-	134	T4R	-	76
45	-	134	45	-	114	45	162	134	T5R	-	71
44	-	129	44	-	111	44	-	127	T3D	-	76
A3F 46	-	129	B3D 46	-	111	C3F 46	156	124	T4D	-	74
45	-	129	45	-	111	45	157	124	T5D	-	68
44	-	127	44	-	109	44	155	119	T3M	-	76
A1R 46	-	139	B4D 46	-	95	C4F 46	-	113	T4M	-	73
45	-	139	45	-	98	45	150	113	T5M	-	68
44	-	134	44	-	95	44	143	110	T3G	-	78
A2R 46	-	134	B5D 46	-	86	C5F 46	-	89	T4G	-	76
45	-	134	45	-	86	45	-	89	T5G	-	70
44	-	129	44	-	81	44	-	87			
A3R 46	-	129	B3M 46	-	98	C1R 46	-	109	<u>Lugs:</u>		
45	-	129	45	-	98	45	-	109	X1L	-	97
44	-	129	44	-	94	44	-	104	X2L	-	94
			B4M 46	-	90	C2R 46	-	98	X3L	-	89
						45	-	98	X4L	-	83
<u>Heavy Leaf:</u>											
B1F 46	165	136	44	136	90	44	-	92	X5L	-	81
45	165	136	B5M 46	-	87	C3R 46	-	94	X1F	-	97
44	-	129	45	-	82	45	-	94	X2F	-	94
B2F 46	165	133	44	-	79	44	-	-	X3F	-	91
45	164	133	B3G 46	-	100	C4R 46	-	83	X4F	137	86
44	-	129	45	152	100	45	148	83	X5F	-	83
B3F 46	157	125	44	-	99	44	-	81	X1R	-	91
45	158	125	B4G 46	-	90	C5R 46	-	74	X2R	-	89
44	154	123	45	134	91	45	-	74	X3R	-	84
B4F 46	150	114	44	128	84	44	108	73	X4R	-	79
45	150	114	B5G 46	-	80	C3M 46	-	94	X5R	-	72
44	146	111	45	116	80	45	-	94	X3D	-	76
B5F 46	-	94	44	111	80	44	-	90	X4D	-	73
45	-	94				C4M 46	144	84	X5D	-	65
44	132	90	<u>Thin Leaf:</u>			45	138	88	X3M	-	92
B1R 46	-	136	C1L 46	-	139	44	134	85	X4M	119	81
45	-	136	45	-	139	C5M 46	127	82	X5M	101	72
44	-	129	44	-	129	45	-	82	X3G	-	81
B2R 46	-	127	C2L 46	-	134	44	129	79	X4G	116	76
45	-	127	45	-	134	C3G 46	-	83	X5G	97	69
44	-	125	44	-	119	45	-	84			
B3R 46	-	120	C3L 46	-	124	44	-	81	<u>Nondescript:</u>		
45	-	120	45	-	124	C4G 46	-	79	N1L	71	40
44	-	119	44	-	117	45	132	80	N2L	78	18
B4R 46	-	109	C4L 46	-	111	44	122	78	N1R	76	40
45	-	114	45	148	111	C5G 46	-	73	N2R	-	18
44	-	114	44	-	109	45	119	75	N1G	78	40
B5R 46	-	95	C5L 46	-	87	44	114	73	N2G	56	18
45	-	95	45	-	87	Tips:					
44	-	94	44	-	85	T3F	-	78			

1/ Averages based on auction sales, including association deliveries at advance prices.

Table 12--Average prices per 100 pounds by week and season for representative grades 1/

Group and grade 2/	Type 21 - Virginia fire-cured					1980 crop average	1979 crop average		
	Week ending:								
	Dec. 4	Dec. 11	Dec. 18	Jan. 29	Feb. 5				
	<u>Dollars</u>					<u>Dollars</u>	<u>Dollars</u>		
Heavy leaf:									
B2F 46	172	196	-	194	-	191	158		
45	-	185	171	180	-	182	153		
B3F 46	-	179	172	164	-	170	139		
45	173	176	170	165	166	170	140		
44	-	170	152	153	-	161	137		
B4F 45	159	170	160	148	144	157	125		
44	145	163	146	131	-	144	121		
B4M 45	132	160	155	130	-	144	102		
44	134	140	160	116	-	134	101		
B4G 45	-	-	145	126	-	136	106		
44	124	147	132	107	-	126	101		
B5G 44	-	-	-	85	-	101	93		
43	-	-	105	72	-	88	-		
Thin leaf:									
C2L 46	-	206	-	205	214	207	175		
C3L 46	178	175	171	173	182	173	146		
45	174	178	171	170	170	173	147		
C4L 45	157	168	157	151	153	158	135		
44	149	156	142	131	-	142	130		
C5L 45	141	159	140	134	-	142	120		
C1F 46	-	222	-	229	231	226	199		
C2F 46	198	198	197	201	193	199	168		
45	-	190	192	195	-	193	162		
C3F 46	178	183	171	171	179	175	145		
45	176	179	168	165	162	172	146		
C4F 46	169	165	161	150	152	158	126		
45	163	169	157	149	146	158	131		
44	156	162	148	134	-	150	126		
C4M 45	145	154	140	131	130	141	110		
44	137	146	132	115	116	130	108		
C5M 45	128	132	118	102	100	116	88		
44	116	116	112	91	90	109	84		
C4G 45	142	144	126	109	114	125	91		
44	133	134	114	90	92	113	-		
C5G 45	120	121	111	86	89	103	79		
44	106	112	95	76	76	92	76		
Lugs:									
X4L	-	145	135	126	-	133	109		
X5L	121	122	115	107	-	116	86		
X3F	-	157	-	141	-	144	116		
X4F	-	145	137	109	-	129	103		
X5F	-	126	120	90	-	112	90		
X4M	118	128	115	94	94	113	86		
X4M 45	-	138	115	99	78	109	83		
X5M	98	105	98	72	72	91	68		
X5M 45	-	104	100	77	70	86	66		
X4G	117	125	109	96	-	113	84		
X5G	100	102	98	76	77	92	71		
Nondescript:									
N1L	78	88	76	53	55	73	55		
N1GL	56	70	59	31	22	48	-		
N1GD	70	80	77	56	52	68	-		
N2	42	56	49	27	20	39	22		

See footnotes on page 24.

Table 12--Average prices per 100 pounds by week and season for representative grades--continued 1/

Group and grade 2/	Types 22 & 23 - Kentucky and Tennessee fire-cured								1980 crop average	1979 crop average	
	Week ending:										
	Jan. 21	Jan. 28	Feb. 4	Feb. 11	Feb. 18	Feb. 25	Mar. 4	Mar. 11	Apr. 9		
	<u>Dollars</u>								<u>Dollars</u>	<u>Dollars</u>	
Heavy leaf:											
B3F 46	-	165	-	167	166	170	171	174	176	170	
B4F 46	-	140	160	164	162	159	159	171	176	163	
45	-	-	164	162	158	160	169	165	-	163	
B4VF 46	-	-	138	154	-	145	165	159	170	158	
Thin leaf:											
C3F 46	154	161	161	163	165	169	171	171	175	166	
45	-	156	161	156	159	168	170	173	175	163	
C4F 46	148	152	152	160	162	164	167	171	173	162	
45	156	160	152	152	155	161	163	156	172	158	
C5F 46	-	-	-	150	137	147	164	163	173	152	
45	-	151	140	146	138	146	149	159	-	146	
C3D 46	154	165	165	164	166	168	170	174	176	167	
45	157	162	163	159	162	167	169	172	174	164	
C4D 46	142	146	153	155	156	159	168	167	174	157	
45	131	131	149	145	147	147	164	160	173	146	
C5D 46	-	142	147	147	144	147	150	167	169	151	
45	128	-	-	117	127	145	-	141	146	131	
C4M 46	114	140	137	143	147	-	142	171	-	144	
45	129	132	140	126	136	127	147	127	156	135	
C5M 46	107	148	118	130	128	-	121	140	158	132	
45	113	112	114	118	114	120	144	120	134	119	
C3VF 46	158	153	154	159	155	166	167	170	171	163	
45	132	147	150	-	151	159	159	173	172	156	
C4VF 46	129	144	145	155	158	160	163	165	165	155	
45	124	142	143	141	141	138	153	157	169	142	
44	-	136	134	129	118	128	-	157	-	133	
C5VF 46	120	132	.139	135	147	145	151	157	154	146	
45	120	132	123	117	129	124	151	145	152	132	
C4G 46	109	123	138	138	136	141	139	143	160	138	
45	108	123	125	122	116	129	132	152	147	129	
44	-	110	106	115	100	107	112	-	-	111	
C5G 46	99	103	116	115	116	117	115	120	117	115	
45	95	107	96	98	108	105	112	122	127	107	
44	95	89	96	94	89	100	96	98	89	94	
Lugs:											
X3F	-	-	-	128	-	154	156	166	161	152	
X4F	129	132	130	133	134	144	139	146	161	140	
X5F	113	119	-	115	112	112	123	129	126	119	
X4D	101	-	-	123	119	-	144	140	-	128	
X5D	93	98	105	86	109	109	106	152	129	108	
X4M	99	-	97	92	104	100	100	104	118	100	
X5M	84	83	87	82	88	92	93	99	126	91	
X3VF	-	128	114	140	-	141	155	152	-	142	
X4VF	98	110	116	113	124	122	123	127	149	120	
X5VF	87	97	104	101	104	107	109	105	123	104	
X4G	76	78	81	85	82	94	92	93	100	87	
X5G	68	69	71	70	74	76	74	77	82	74	
Nondescript:											
N1L	71	70	78	75	74	82	74	73	78	75	
N1D	-	-	79	64	-	85	73	104	92	79	
N1G	51	56	57	57	61	57	60	58	69	58	
N2	38	36	37	33	29	40	41	36	35	36	

See footnotes on page 24.

Table 12--Average prices per 100 pounds by week and season for representative grades--continued 1/

Group and grade 2/	Type 35 - one sucker						1980 crop average	1979 crop average		
	Week ending:									
	Dec. 12	Dec. 19	Jan. 9	Jan. 16	Jan. 23	Jan. 30				
<u>Dollars</u>										
Heavy leaf:										
B2F 46	151	150	155	155	155	155	153	142		
B3F 46	150	150	154	155	155	155	153	141		
45	150	151	155	-	-	-	153	-		
B4F 46	150	150	154	155	154	154	152	139		
45	146	150	152	-	-	155	151	136		
B5F 46	144	-	133	-	-	144	141	128		
B3R 46	150	150	155	155	154	-	153	-		
B4R 46	150	150	152	-	-	-	151	134		
Thin leaf:										
C2F 46	151	152	154	-	155	-	152	141		
C3F 46	150	150	154	155	150	155	152	139		
45	150	150	154	153	-	147	151	-		
C4F 46	150	150	153	155	155	149	151	136		
45	150	152	150	148	149	146	150	136		
C3R 46	150	150	154	154	155	150	152	137		
45	150	151	153	-	-	153	151	-		
C4R 46	149	150	153	154	143	148	150	135		
45	147	150	151	147	145	138	147	134		
C5R 46	137	145	133	-	-	145	141	122		
45	146	144	137	-	-	120	136	118		
C3M 45	150	147	152	-	-	-	147	-		
C4M 46	148	148	145	143	-	129	144	131		
45	146	149	141	138	-	128	145	-		
44	132	142	121	-	-	-	131	-		
C5M 46	131	124	130	-	-	135	129	115		
45	137	138	131	-	-	107	129	116		
44	127	125	111	-	-	96	116	-		
C4G 46	148	147	145	150	134	127	145	126		
45	144	147	146	140	-	114	143	-		
44	134	140	117	-	-	104	132	-		
C5G 46	139	135	132	119	131	110	131	113		
45	131	131	113	95	109	99	124	104		
44	122	113	100	-	-	-	114	-		
Tips:										
T4G	106	109	88	-	-	-	102	-		
T5G	86	94	75	-	-	-	82	-		
Lugs:										
X2F	150	143	155	155	-	-	152	139		
X3F	149	150	150	154	144	144	149	136		
X4F	140	142	134	120	116	130	136	124		
X5F	128	124	111	114	-	100	119	102		
X3R	149	150	152	139	-	-	148	-		
X4R	142	140	139	-	-	113	134	117		
X5R	115	128	104	-	-	103	113	98		
X3M	143	145	148	141	148	131	143	-		
X4M	126	132	117	113	98	96	119	111		
X5M	88	98	93	87	81	79	90	92		
X4G	114	117	97	84	91	91	108	101		
X5G	68	74	71	66	67	61	69	76		
Nondescript:										
N1L	59	80	69	62	-	73	67	74		
N2L	57	56	46	-	-	-	53	-		
N1R	80	-	53	-	-	52	62	77		
N1G	53	58	55	60	54	53	55	61		
N2G	34	40	33	39	39	38	36	49		

See footnotes on page 24.

Table 12--Average prices per 100 by week and season for representative grades--continued 1/

Group and grade 2/	Type 36 - Green river				1980 crop average	1979 crop average		
	Week ending:							
	Dec. 4	Dec. 11	Dec. 18	Jan. 8				
	<u>Dollars</u>				<u>Dollars</u>	<u>Dollars</u>		
Heavy leaf:								
B4F 45	148	-	146	150	148	-		
B4R 45	149	150	148	150	149	-		
B4M 46	150	-	150	150	150	-		
45	149	150	150	147	148	-		
Thin leaf:								
C3F 46	150	152	-	151	151	136		
45	150	151	-	150	150	-		
C4F 46	150	150	150	150	150	134		
45	149	150	150	149	149	134		
C3R 46	150	151	150	150	150	136		
45	150	150	150	150	150	-		
C4R 46	150	147	150	150	150	131		
45	149	150	150	149	149	129		
44	149	147	150	146	148	-		
C5R 45	145	149	-	146	146	120		
44	144	145	144	-	143	-		
C3M 46	148	150	150	150	150	-		
45	150	-	150	148	149	-		
C4M 46	150	150	149	147	149	131		
45	148	149	149	148	148	129		
44	146	144	148	143	145	-		
C5M 46	146	148	143	138	143	121		
45	147	144	143	129	142	120		
44	145	-	141	117	138	111		
C4G 46	149	149	148	147	148	127		
45	148	148	146	148	148	124		
44	145	148	142	142	144	-		
C5G 46	142	148	146	138	145	112		
45	140	136	140	128	137	108		
44	140	145	132	115	137	105		
Tips:								
T4R	142	143	145	145	143	-		
T4M	142	143	146	138	142	115		
T5M	139	101	138	125	124	97		
T4G	141	145	138	135	140	-		
T5G	120	128	132	-	124	102		
Lugs:								
X4M	130	138	133	116	129	116		
X5M	94	98	100	87	94	97		
X4G	123	136	135	110	126	110		
X5G	83	102	99	77	87	84		
Nondescript:								
N1L	85	62	85	63	73	-		
N1G	61	80	72	58	67	66		
N2G	30	38	37	39	35	51		

See footnotes on page 24

Table 12--Average prices per 100 pounds by week and season for representative grades--continued 1/

Type 37 - Virginia sun-cured

Group and grade 2/	Week ending:			1980 crop average	1979 crop average
	Dec. 12	Dec. 19	Jan. 30		
	<u>Dollars</u>			<u>Dollars</u>	<u>Dollars</u>
Heavy leaf:					
B2F 46	164	-	165	165	-
45	163	165	165	164	-
B3F 45	156	161	160	158	131
44	151	-	155	154	-
B4F 45	148	151	151	150	125
44	145	144	144	145	119
B5F 44	-	122	147	132	112
B4G 45	142	133	133	134	-
Thin leaf:					
C4L 45	-	150	149	148	-
C3F 45	158	155	160	157	135
C4F 45	150	152	148	150	124
44	143	-	141	143	-
C4M 45	141	130	136	138	106
44	135	138	116	134	-
C5M 45	144	123	-	127	-
44	116	120	-	119	-
C4G 45	131	-	134	132	-
44	128	-	110	122	-
C5G 44	115	107	118	114	-
Lugs:					
X4M	123	120	115	119	101
X5M	106	100	97	101	94
X4G	121	-	112	116	99
X5G	97	94	99	97	84
Nondescript:					
N1L	69	76	-	71	-
N1G	80	78	73	78	64
N2G	62	58	51	56	41

1/ Averages based on market news sample of auction sales including association deliveries at advance prices.

2/ For key to standard grade marks, see brief of classifications on pages 5 and 6.

Table 13--Percentage of gross auction sales by group

Crop year	Type 21						
	A Wrappers	B Heavy leaf	C Thin leaf	T Tips	X Lugs	N Nondescript	Misc. 1/
1976	.2	18.9	41.5	NA	29.0	6.2	4.2
1977	.2	29.4	30.5	NA	22.9	12.6	4.4
1978	.1	18.1	51.1	NA	17.8	10.5	2.4
1979	.4	29.9	37.9	NA	18.2	11.2	2.4
1980	- 2/	12.8	51.6	NA	20.3	12.7	2.6

Types 22 & 23

1976	1.7	13.2	38.7	NA	24.1	7.5	14.8
1977	0.6	8.2	45.2	NA	24.8	13.3	7.9
1978	0.5	8.3	55.2	NA	21.7	8.0	6.3
1979	1.1	12.0	55.7	NA	20.8	7.6	2.8
1980	.3	5.7	52.0	NA	29.3	9.3	3.4

Type 35

1976	.1	25.1	32.5	.5	28.0	8.8	5.0
1977	.3	20.9	31.1	.1	26.2	8.7	12.7
1978	- 2/	13.5	41.0	.1	18.9	14.6	11.9
1979	.3	11.8	40.9	.1	18.1	14.7	14.1
1980	.1	10.0	51.3	.8	22.2	12.2	3.4

Type 36

1976	--	9.6	53.2	1.5	23.8	10.3	1.6
1977	--	6.5	45.7	.4	16.1	11.5	19.8
1978	--	3.3	51.0	1.4	10.6	16.6	17.1
1979	- 3/	2.5	53.6	1.1	12.5	15.0	15.3
1980	-	7.9	54.1	3.8	16.7	8.8	8.7

Type 37

1976	.3	28.6	24.7	.8	40.0	3.2	2.4
1977	--	32.2	17.1	1.3	31.4	11.1	6.9
1978	.1	31.3	25.6	.6	22.0	16.0	4.4
1979	- 2/	19.2	22.9	.2	21.0	19.7	17.0
1980	- 2/	29.7	28.0	.2	31.0	9.1	2.0

Table 14--Percentage of gross auction sales by quality

Crop year	Type 21						
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	Nondescript	Misc. 1/
1976	1.2	5.3	27.4	41.3	14.5	6.2	4.1
1977	1.0	4.5	19.3	38.0	20.1	12.6	4.5
1978	6.9	4.7	16.1	32.5	26.8	10.5	2.5
1979	2.2	8.2	21.5	34.6	19.8	11.2	2.5
1980	1.5	4.4	17.3	37.7	23.8	12.7	2.6

Types 22 & 23

1976	.9	2.6	13.0	41.2	20.1	7.5	14.7
1977	.4	2.0	10.8	36.5	29.1	13.3	7.9
1978	.2	1.7	15.5	44.5	23.9	8.0	6.2
1979	.8	2.9	15.4	40.7	29.8	7.6	2.8
1980	2/	1.4	12.9	40.8	32.3	9.3	3.3

Type 35

1976	.7	6.5	29.0	35.9	14.1	8.8	5.0
1977	.7	4.6	19.1	36.2	18.0	8.7	12.7
1978	.3	2.6	19.4	34.7	16.5	14.6	11.9
1979	.3	2.0	11.3	34.6	23.0	14.7	14.1
1980	.4	3.0	18.5	43.6	18.8	12.2	3.5

See footnotes on page 26.

Table 14--Percentage of gross auction sales by quality--continued

Type 36							
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	Nondescript	Misc. 1/
1976	.2	2.2	27.6	41.6	16.4	10.3	1.7
1977	.3	.9	11.7	37.1	18.6	11.5	19.9
1978	- 3/	.7	7.9	38.5	19.2	16.6	17.1
1979	-	.4	3.3	33.0	33.1	15.0	15.2
1980	- 2/	.1	8.6	57.5	16.3	8.8	8.7

Type 37							
1976	.4	1.9	19.7	61.7	10.7	3.2	2.4
1977	.4	1.6	11.6	46.3	22.0	11.1	7.0
1978	.7	3.3	16.6	37.3	21.7	16.0	4.4
1979	.1	2.2	9.1	27.4	24.5	19.7	17.0
1980	.8	2.6	15.9	47.3	22.3	9.1	2.0

Table 15--Percentage of gross auction sales by color

Type 21									
Crop year	L	VF	F	R	D	M	G	Non.	Misc. 1/
1976	18.8	NA	40.5	NA	1.8	15.3	13.2	6.2	4.2
1977	8.5	NA	36.6	NA	8.4	14.7	14.8	12.6	4.4
1978	6.7	NA	35.7	NA	15.7	19.4	9.7	10.5	2.3
1979	4.0	NA	49.7	NA	11.2	13.8	7.7	11.2	2.4
1980	10.5	NA	31.8	NA	.8	27.7	13.9	12.7	2.6

Types 22 & 23									
1976	.3	14.4	17.4	NA	3.3	18.2	24.2	7.5	14.7
1977	.8	18.5	19.7	NA	12.5	3.0	24.3	13.3	7.9
1978	.3	23.6	23.6	NA	10.4	5.9	22.0	8.0	6.2
1979	1.5	18.7	35.7	NA	9.7	4.9	19.1	7.6	2.8
1980	.6	27.8	15.9	NA	10.0	7.2	25.8	9.3	3.4

Type 35									
1976	1.2	NA	39.8	18.2	.1	13.7	13.2	8.8	5.0
1977	.9	NA	32.3	21.2	.3	7.1	16.8	8.7	12.7
1978	.6	NA	32.0	14.0	.1	8.2	18.5	14.6	12.0
1979	.9	NA	30.6	14.5	- 2/	8.7	16.4	14.7	14.2
1980	1.6	NA	26.6	16.2	- 2/	15.5	24.4	12.2	3.5

Type 36									
1976	1.0	NA	24.3	21.0	.1	23.0	18.6	10.3	1.7
1977	.2	NA	11.6	32.2	.2	7.3	17.1	11.5	19.9
1978	.5	NA	10.6	19.3	- 2/	18.1	18.0	16.6	16.9
1979	.6	NA	11.1	11.8	-	31.5	14.8	15.0	15.2
1980	.4	NA	10.0	19.3	- 2/	33.1	19.6	8.8	8.8

Type 37									
1976	5.3	NA	44.0	1.7	.1	14.3	29.1	3.2	2.3
1977	4.5	NA	29.3	4.7	.8	16.8	25.8	11.1	7.0
1978	5.0	NA	35.6	4.8	1.7	11.3	21.2	16.0	4.4
1979	1.2	NA	29.5	9.2	-	10.8	12.6	19.7	17.0
1980	.5	NA	42.1	.4	- 2/	33.6	12.4	9.1	1.9

1/ Includes No-G, Wet (w), and unsound (u).

2/ Volume insufficient to quote percentage.

NA - not applicable.

See color codes on pages 5 and 6.

Table 16--Percentage distribution by grades for fire-cured tobacco type 21

Group and grade	Crop of 1980						
Wrappers:							
AlF 47	--	B5D 47	--	C5L 46	.142	C3G 45	.078
46	.006	46	--	45	.864	44	.083
45	--	45	.004	44	.283	C4G 47	--
A2F 47	--	44	.011	Total CL	9.215	46	.137
46	.004	43	--	C1F 47	.073	45	1.654
45	.016	Total BD	.462	46	.846	44	1.862
Total AF	.026	B3M 47	--	45	.073	C5G 47	.004
AlD 47	--	46	.082	C2F 47	.108	46	.078
46	--	45	.116	46	1.557	45	.908
45	--	44	.022	45	.596	44	2.424
A2D 47	--	43	--	44	.032	Total CG	7.273
46	--	B4M 47	--	C3F 47	.045	Total C	51.606
45	.001	46	.063	46	2.807	Lugs:	
Total AD	.001	45	.556	45	4.596	X1L	--
Total A	.027	44	.516	44	.579	X2L	.062
Heavy leaf:		43	.089	C4F 47	.029	X3L	.120
B1F 47	.054	B5M 47	--	46	1.402	X4L	.482
46	.154	46	--	45	5.925	X5L	.664
45	.006	45	.038	44	2.087	Total XL	1.328
B2F 47	.041	44	.123	C5F 47	--	X1F	--
46	.718	43	.048	46	.112	X2F	.076
45	.438	Total BM	1.653	45	.717	X3F	.338
44	.040	B3G 47	.004	44	.290	X4F	.582
B3F 47	.036	46	.015	Total CF	21.874	X5F	.502
46	1.050	45	.070	C2D 47	--	Total XF	1.498
45	2.399	44	.030	46	--	X1D	--
44	.527	43	--	45	--	X2D	--
43	.013	B4G 47	--	44	--	X3D	.007
B4F 47	.002	46	.040	C3D 47	--	X4D	.012
46	.260	45	.411	46	--	X5D	.115
45	1.519	44	.730	45	.006	Total XD	.134
44	.911	43	.098	C4D 47	--	X3M	.219
43	.051	B5G 47	--	46	--	X3M 45	.142
B5F 47	--	46	.016	45	.042	X4M	3.560
46	--	45	.098	44	--	X4M 45	1.105
45	.051	44	.351	C5D 47	.004	X5M	6.983
44	.120	43	.393	46	.010	X5M 45	1.028
43	.021	Total BG	2.256	45	.077	Total XM	13.037
Total BF	8.411	Total B	12.782	44	.089	X3G	.060
B1D 47	--	Thin leaf		Total CD	.228	X3G 45	.014
46	--	C1L 47	.006	C3M 47	.024	X4G	.638
45	--	46	.230	46	.379	X4G 45	.134
B2D 47	--	45	.030	45	.533	X5G	3.139
46	.053	C2L 47	.009	44	.125	X5G 45	.363
45	.050	46	.420	C4M 47	.021	Total XG	4.348
44	--	45	.214	46	.562	Total X	20.345
B3D 47	--	44	--	45	5.175	Nondescript:	
46	.021	C3L 47	.023	44	2.465	N1L	2.668
45	.127	46	.823	C5M 47	.005	N1D	.471
44	.035	45	1.604	46	.193	N1GL	4.270
43	--	44	.123	45	2.024	N1GD	2.545
B4D 47	--	C4L 47	--	44	1.510	N2	2.796
46	.002	46	.653	Total CM	13.016	Total N	12.750
45	.050	45	2.946	C3G 47	.014	No G	1.578
44	.095	44	.845	46	.031	"W"	.796
43	.014	C5L 47	--			"U"	.116
						Grand total	100.000

Table 17--Percentage distribution by grades for fire-cured tobacco types 22 and 23

Group and grade	Crop of 1980								
Wrappers:									
A1F 47	--	B5VF 47	--	B5G 46	.024	C3VF 45	1.005	C3G 44	.034
46	--	46	.095	45	.016	44	.046	43	--
45	--	45	.091	44	--	43	--	C4G 47	.074
44	--	44	.017	43	--	C4VF 47	.070	46	2.662
A2F 47	--	43	--	Total BG	.289	46	5.135	45	1.822
46	.183	Total BV	1.683	Total B	5.705	45	4.233	44	.352
45	--	B1D 47	--	Thin leaf:		44	.482	43	.054
A3F 47	--	46	--	C1L 47	--	43	.020	C5G 47	.042
46	.044	45	--	46	--	C5VF 47	.005	46	2.877
45	--	44	--	45	--	46	2.042	45	1.938
Total AF	.227	B2D 47	--	44	--	45	1.749	44	.580
A1D 47	--	46	--	C2L 47	--	44	.162	43	.122
46	.003	45	--	46	.019	43	.005	Total CG	11.045
45	--	44	--	Total CVF	16.732	Total C	51.984		
A2D 47	--	B3D 47	--	45	--	C1D 47	--	Lugs:	
46	.018	46	--	44	--	46	.011	X1L	--
45	--	45	.003	C3L 47	--	45	--	X2L	--
A3D 47	--	44	--	46	.076	44	--	X3L	--
46	.083	43	--	45	.025	C2D 47	--	X4L	.004
45	--	B4D 47	--	44	--	46	.256	X5L	.051
Total AD	.104	46	.040	C4L 47	--	45	--	Total XL	.055
Total A	.331	45	--	46	.185	44	--	X1F	--
Heavy leaf:		44	.019	45	.115	C3D 47	.130	X2F	.064
B1F 47	--	43	--	44	--	46	1.399	X3F	.343
46	.001	B5D 47	--	43	--	45	1.098	X4F	.771
45	--	46	--	C5L 47	--	44	.103	X5F	.554
B2F 47	.028	45	.016	46	.035	C4D 47	.126	Total XF	1.732
46	.325	44	--	45	.083	46	2.502	X3VF	.463
45	.022	43	--	44	--	45	1.573	X4VF	4.392
44	--	Total BD	.078	43	--	45	.197	X5VF	4.483
B3F 47	.026	B3M 47	--	Total CL	.538	Total XVF	9.338		
46	1.079	46	--	C1F 47	--	X1D	--		
45	.267	45	.061	46	.035	C5D 47	.002	X2D	--
44	--	44	--	45	--	46	.805	X3D	.018
43	--	B4M 47	--	44	--	45	.462	X4D	.391
B4F 47	.043	46	.089	C2F 47	--	44	.059	X5D	.688
46	.922	45	.017	46	.457	43	.004	Total XD	1.097
45	.647	44	--	45	.043	44	.197	X3M	.091
44	.005	43	--	44	--	43	.015	X4M	.764
43	--	B5M 47	--	C3F 47	.046	46	.139	X5M	1.760
B5F 47	--	46	--	46	2.194	45	.308	Total XM	2.615
46	.069	45	.001	45	.877	44	.010	X3G	--
45	.053	44	--	44	.036	43	--	X4G	4.200
44	--	43	--	C4F 47	.163	43	.014	X5G	10.311
43	--	Total BM	.168	46	3.858	46	.869	Total XG	14.511
Total BF	3.487	B3G 47	.005	45	1.221	45	1.288	Total X	29.348
B3VF 47	--	46	.099	44	.109	44	.167	Nondescript	
46	.308	45	.029	43	.007	43	.018	N1L	.904
45	.167	44	--	C5F 47	.068	46	--	N1D	.566
44	--	43	--	46	.725	46	.637	N1G	6.392
43	--	B4G 47	--	45	.614	45	.816	N2	1.446
B4VF 47	.022	46	.097	44	.025	44	.165	Total N	9.308
46	.741	45	.019	43	--	43	.018	N-G	.656
45	.242	44	--	Total CF	10.478	Total CM	4.449	"W"	2.631
44	--	43	--	C3VF 47	.015	C3G 47	.030	"U"	.037
43	--	B5G 47	--	46	1.763	46	.273	Grand total	100.000

Table 18--Percentage distribution by grades for dark air-cured tobacco type 35

Group and grade	Crop of 1980								
Wrappers:									
AlF 47	--	B4R 47	--	B5G 44	.025	C3R 47	--	T4M	.160
46	--	46	.539	Total BG	.623	46	1.433	T5M	.025
45	--	45	.459	Total B	9.971	45	.985	Total TM	.185
A2F 47	--	44	.011	Thin leaf:		44	.052	T3G	--
46	.012	B5R 47	--	C1L 47	--	C4R 47	.034	T4G	.257
45	--	46	.084	46	--	46	4.195	T5G	.238
A3F 47	.015	45	--	45	--	45	3.683	Total TG	.495
46	.079	44	--	44	--	44	.682	Total T	.751
45	--	Total BR		C2L 47	--	C5R 47	--	Lugs:	
Total AF	.106	B1D 47	--	46	.341	46	.561	X1L	.003
AlR 47	--	46	--	45	--	45	.725	X2L	.011
46	--	45	--	44	--	44	.074	X3L	.158
45	--	44	--	Total CR		44	--	X4L	.153
A2R 47	--	B2D 47	--	C3L 47	.169	C3M 47	.027	X5L	.185
46	--	46	--	46	.169	46	.489	Total XL	.510
45	--	45	--	44	--	45	.440	X1F	.278
A3R 46	--	B3D 47	--	C4L 47	--	44	.013	X2F	.332
45	--	46	--	46	.213	C4M 47	.029	X3F	2.139
Total AR		45	.011	45	.142	46	3.139	X4F	.914
Total A	.106	44	--	44	.016	45	3.228	X5F	.372
Heavy leaf:		Total CL		C5L 47	--	44	.551	Total XF	4.035
B1F 47	--	B4D 47	--	46	.002	C5M 47	--	X1R	.023
46	--	46	--	45	--	46	.356	X2R	.140
45	--	45	.006	44	--	45	1.020	X3R	.558
44	--	44	--	Total CM		44	.277	X4R	.529
B2F 47	--	B5D 47	--	C1F 47	--	Total CM	9.569	X5R	.255
46	.837	46	--	46	.068	C3G 47	--	Total XR	1.505
45	.030	45	--	45	--	46	.138	X3D	--
44	--	44	--	44	--	45	.235	X4D	--
B3F 47	--	Total BD		C2F 47	.025	44	--	X5D	--
46	2.774	B3M 47	--	46	.795	C4G 47	.022	Total XD	--
45	.481	46	.043	45	.073	46	2.733	X3M	1.139
44	.006	45	.033	44	--	45	3.272	X4M	1.909
B4F 47	--	B4M 47	--	C3F 47	.030	44	1.487	X5M	2.326
46	2.023	46	.154	46	4.927	C5G 47	--	Total XM	5.374
45	.624	45	.049	45	1.143	46	1.832	X3G	.040
44	.019	45	.011	44	.032	45	1.762	X4G	4.080
B5F 47	--	B5M 47	--	C4F 47	.141	44	1.080	X5G	6.638
46	.220	46	.001	46	4.767	Total CG		Total XG	10.758
45	.019	46	.037	45	2.798	Total C	51.278	Total X	22.182
44	--	45	.029	44	.151	Nondescript:		Tips:	
Total BF		Total BM	.357	46	.247	T3F	--	N1L	.449
B1R 47	--	B3G 47	--	45	.169	T4F	.022	N2L	.173
46	--	46	.028	44	.069	T5F	--	N1R	.208
45	--	45	--	Total CF		Total TF	.022	N2R	.090
44	--	44	--	C1R 47	--	T3R	--	N1G	6.941
B2R 47	--	B4G 47	.010	46	--	T4R	.039	N2G	4.383
46	.145	46	.227	45	--	T5R	.009	Total N	12.244
45	--	45	.117	44	--	Total TR	.048	N-G	1.052
44	--	44	.045	46	.174	T3D	--	"W"	2.355
B3R 47	.025	B5G 47	--	45	.063	T4D	.001	"U"	.061
46	.573	46	.139	44	--	T5D	--	Grand total	
45	.105	45	.032	Total TD		Total TD	.001	100.000	
44	--	45	--	44	--	T3M	--		

Table 19--Percentage distribution by grades for dark air-cured tobacco type 36

Group and grade	Crop of 1980								
Wrappers:									
A1F 47	--	B4R 47	--	B5G 44	.028	C3R 47	--	T4M	.953
46	--	46	.378	Total BG	1.012	46	1.296	T5M	.232
45	--	45	1.176	Total B	7.944	45	.819	Total TM	1.257
A2F 47	--	44	.274	Thin leaf:		44	.120	T3G	--
46	--	B5R 47	--	C1L 47	--	C4R 47	--	T4G	.943
45	--	46	.112	46	--	46	5.172	T5G	.251
A3F 47	--	45	.118	45	--	45	6.240	Total TG	1.194
46	--	44	.139	44	--	44	.908	Total T	3.832
45	--	Total BR	2.331	C2L 47	--	C5R 47	--	Lugs:	
Total AF	--	B1D 47	--	46	--	46	.070	X1L	.006
A1R 47	--	46	--	45	--	45	.543	X2L	--
46	--	45	--	44	--	44	.209	X3L	.076
45	--	44	--	C3L 47	--	Total CR	15.377	X4L	.024
A2R 47	--	B2D 47	--	46	--	C3M 47	--	X5L	--
46	--	46	--	45	--	46	2.147	Total XL	.106
45	--	45	--	44	--	45	.659	X1F	--
A3R 46	--	B3D 47	--	C4L 47	--	C4M 47	--	X2F	--
45	--	47	--	46	.106	46	6.852	X3F	.105
Total AR	--	46	--	45	.180	45	7.927	X4F	.042
Total A	--	45	--	44	.043	44	1.063	X5F	--
Heavy Leaf:				C5L 47	--	C5M 47	--	Total XF	.147
B1F 47	--	B4D 47	--	46	--	46	.809	X1R	--
46	--	46	--	45	--	45	1.081	X2R	.033
45	--	45	--	44	--	45	.348	X3R	.047
44	--	Total CL	.329	Total CM	20.886	X4R	.350		
B2F 47	--	B5D 47	--	C1F 47	--	X5R	.141		
46	.019	46	--	46	--	Total XR	.571		
45	--	45	--	45	--	X3D	--		
44	--	44	--	44	--	X4D	--		
B3F 47	--	Total BD	--	C2F 47	--	X5D	--		
46	.340	B3M 47	--	46	.091	Total XD	--		
45	.293	46	.056	45	--	X3M	.562		
44	.025	45	--	44	--	X4M	4.266		
B4F 47	--	B4M 47	.037	C3F 47	--	X5M	3.108		
46	.343	47	.121	46	1.008	Total XM	7.936		
45	.392	46	1.229	45	.408	X3G	.013		
44	.066	45	1.017	44	--	X4G	2.435		
B5F 47	--	B5M 47	.224	C4F 47	--	X5G	5.495		
46	.055	47	--	46	4.305	Total CG	9.479		
45	.014	46	.034	45	1.773	Total C	54.083		
44	.002	45	.277	44	.095	Tips:			
Total BF	1.549	44	.057	46	.164	T3F	.034		
B1R 47	--	Total BM	3.052	45	.163	T4F	.245		
46	--	B3G 47	--	44	.005	T5F	--		
45	--	46	.072	Total CF	8.012	Total TF	.279		
44	--	45	.025	C1R 47	--	T3R	.002		
B2R 47	--	B4G 47	--	46	--	T4R	.935		
46	--	46	.238	45	--	T5R	.135		
45	--	45	.382	C2R 47	--	Total TR	1.072		
44	--	44	.102	46	--	N-G	3.042		
B3R 47	--	B5G 47	--	45	--	"W"	5.463		
46	.096	46	--	44	--	"U"	.182		
45	.028	45	--	45	--	Total TD	.030		
44	.010	45	.165	44	--	T3M	.072		
						Grand total	100.000		

Table 20--Percentage distribution by grades for dark air-cured tobacco type 37

Group and grade	Crop of 1980								
Wrappers:									
A1F 47	--	B4R 47	--	B5G 44	.311	C3R 47	--	T4M	.061
46	--	46	--	Total BG	2.606	46	--	T5M	--
45	.033	45	--	Total B	29.737	45	--	Total TM	.061
A2F 47	--	44	--	Thin leaf:		44	--	T3G	--
46	--	B5R 47	--	C1L 47	--	C4R 47	--	T4G	.016
45	--	46	--	46	--	46	--	T5G	.057
A3F 47	--	45	--	45	--	.238		Total TG	.073
46	--	44	--	44	--			Total T	.176
45	--	Total BR	--	C2L 47	--	C5R 47	--	Lugs:	
Total AF	.033	B1D 47	--	46	--	X1L	--		
A1R 47	--	46	--	45	--	X2L	--		
46	--	45	--	44	--	X3L	--		
45	--	44	--	44	--	X4L	--		
A2R 47	--	B2D 47	--	C3L 47	--	X5L	.035		
46	--	46	--	46	--	Total XL	.035		
45	--	45	--	45	--	X1F	--		
A3R 46	--	B3D 47	--	C4L 47	--	X2F	--		
45	--	46	--	46	--	X3F	.185		
Total AR	--	45	--	45	.350	X4F	.447		
Total A	.033	44	--	44	.090	X5F	.059		
Heavy leaf:									
BlF 47	--	B4D 47	--	C5L 47	--	Total XF	.691		
46	.292	46	--	46	--	X1R	--		
45	.320	45	--	45	--	X2R	--		
44	--	44	--	44	--	X3R	--		
B2F 47	--	B5D 47	--	Total CL	.440	X4R	--		
46	.633	46	--	C1F 47	--	X5R	--		
45	1.663	45	--	46	.123	Total XR	--		
44	--	44	--	45	--	X3D	--		
B3F 47	--	Total BD	--	44	--	X4D	--		
46	.339	B3M 47	--	C2F 47	--	X5D	.010		
45	8.736	46	--	46	.081	Total XD	.010		
44	1.408	45	--	45	.252	X3M	--		
B4F 47	--	B4M 47	--	44	--	X4M	10.347		
46	.433	46	.083	C3F 47	--	X5M	13.112		
45	8.112	45	.508	46	.249	Total XM	23.459		
44	3.109	45	.587	45	4.121	X3G	--		
B5F 47	--	B5M 47	--	C4F 47	--	X4G	2.560		
46	--	46	--	46	.490	X5G	4.241		
45	.030	45	--	45	.173	Total CG	2.881		
44	.801	45	.038	45	8.453	Total XG	6.801		
Total BF	25.876	44	.039	44	1.504	Total C	28.028		
BlR 47	--	Total BM	1.255	C5F 47	--	Nondescript:			
46	--	B3G 47	--	46	--	T3F	.493		
45	--	46	--	45	.035	T4F	.406		
44	--	45	.341	44	.016	T5F	.347		
B2R 47	--	44	--	Total CF	15.497	Total TF	--		
46	--	B4G 47	--	C1R 47	--	T3R	--		
45	--	46	.123	46	--	T4R	--		
44	--	45	1.153	45	--	T5R	--		
B3R 47	--	44	.466	C2R 47	--	Total TR	--		
46	--	B5G 47	--	46	--	T3D	--		
45	--	46	--	45	--	T4D	--		
44	--	45	.212	44	--	T5D	--		
						Total TD	--	Grand total	100.000
						T3M	--		

U. S DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, D. C. 20250

- - -
OFFICIAL BUSINESS

Penalty for private use \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR-101



Third Class